

1 Series

Sub-Compact Utility Tractors



JOHN DEERE



One series. Endless possibilities.

When you've got a property to maintain, you need a machine that's versatile enough to handle just about any task. That's where the 1 Series comes in. With three models to choose from, and an array of specialty implements and attachments, 1 Series Sub-Compact Utility Tractors are meticulously engineered to get things done.

Tackle everyday chores with the economical, open station 1E 23, navigate tight spaces with the 1M 25 while enjoying the heated-and-cooled comfort of an optional HVAC cab, or take on your most demanding projects with the rugged 1R 25.

With any model you choose, you're getting a year-round workhorse built to conquer whatever you throw its way, so you can spend more time enjoying your property, not just maintaining it.



ONE STANDOUT FEATURE AFTER ANOTHER



Ergonomic Fender Console

Puts all your controls within easy reach for effortless operation.



Additional LED Work Lights¹

Provide better visibility and improved accuracy in low-light conditions.



Electronic Fuel Gauge²

Makes it easy to see how much fuel you have, so you can stay powered up for your biggest projects.

¹Front LED work lights standard on 1M 25 HVAC cab and 1R 25 models only. Optional rear work lights available.

²1M 25 and 1R 25 models only.



KEEP SAFETY TOP OF MIND

As you explore the 1 Series lineup, remember not all areas are suitable for compact tractors. Understanding your machine's capabilities helps ensure safe, efficient operation. Some implements and attachments require additional ballast weight. Talk to your dealer about how to correctly configure your machine for your specific uses.

Rollover protective structures (ROPS) are standard equipment on 1E 23, 1M 25, and 1R 25 Sub-Compact Utility Tractors.



Tough Polycarbonate Hood

One-piece design rotates 77 degrees for easier maintenance and is dent-resistant.



Deluxe Suspension Seat

Keeps you comfortable during long hours at work with high back support and adjustable seat settings.



Smart Connector³

Links your machine to the Equipment Mobile app for maintenance alerts, engine hours, and more.

³Standard in base on 1M 25 and 1R 25 models only. Kit available for 1E 23.

The 1 for everyday tasks

For rugged performance in a compact package, the 1E 23 delivers. Its open station design is perfect for mild climates and seasonal chores like mowing, tilling, and landscaping. Open sightlines and quick on-and-off give you a clear view of your work while making it easy to start and stop for implement changes. And Twin Touch™ foot pedals, power steering, and mechanical front-wheel drive (MFWD) let you stay in control around delicate landscaping and on uneven terrain, so you can get to work with confidence.

1E 23



1M 25

The 1 for tight spaces

The 1M 25 takes what you can do a step further. An optional, all-weather HVAC cab keeps you cool in the summer, warm in the winter, and free from dust and debris the whole year through. A compact frame and tight turning radius let you carefully maneuver through narrow gates and around trees, so you can reach every area of your property with ease. When you're done for the day, the 1M 25 can be parked safely in a standard garage or shed, cab included.



The 1 for heavy-duty lifting

1R25

With a 915-pound (415-kg) rear hitch lift capacity and a generous 63-inch (1,600-mm) wheelbase, the 1R 25 is built to handle your toughest jobs, at home, on the farm, and across commercial landscapes. Transport pavers, stones, and other heavy materials for hardscape projects. Load tall trailers and pickup beds. Move pallets of seed, fertilizer, and firewood. Or haul large loads of gravel, dirt, and sand without breaking a sweat. Add an optional factory-installed all-weather cab, and you've got a machine that works as hard as you do, 365 days of the year.



But that's just the start. Every M and R comes with:

Cruise control for constant speeds at the pull of a lever.

Tilt steering for more ergonomic and comfortable operation.

Position control hitch for lowering implements to the same position every time.

Standard 12-volt and USB-C outlets for convenient charging on-the-go.

Optional third function hydraulic valve for additional functionality of implements, from aligning blades to grabbing with grapples.

COMPARE THE 1 SERIES

	1E 23	1M 25	1R 25
Engine Horsepower	21.5 hp (16 kW)	23.2 hp (17.3 kW)	23.2 hp (17.3 kW)
PTO Horsepower	16.2 hp (12.1 kW)	17.8 hp (13.3 kW)	17.8 hp (13.3 kW)
Rear Hitch Lift Capacity	758 lb. (344 kg)	758 lb. (344 kg)	915 lb. (415 kg)
120R Loader Lift Capacity ⁴	704 lb. (320 kg) ⁴	704 lb. (320 kg) ⁴	803 lb. (364 kg) ⁴
Wheelbase	57.1 in. (1,450 mm)	57.1 in. (1,450 mm)	63 in. (1,600 mm)
Open Operator Station	✓	✓	✓
Factory-Installed Cab Option		✓	✓

⁴Lift capacity at full height measured at pivot for non-self leveling 120R Loaders.

Your climate-controlled throne awaits

True comfort starts in the M and R Models.

A hint of snow in the air doesn't mean it's time to put your compact tractor in storage. The M and R Models are designed to keep you working the whole year through with an all-weather HVAC cab.

Just settle into your cushy, deluxe suspension seat, turn up the heat, and push or blow snow to your heart's content. Then when summer hits, crank the A/C and stay cool during your toughest tasks.

The cab is factory-installed for quality and comfort and features a fully sealed design to limit outside noise and keep you clean during your dirtiest jobs. The exterior mirrors offer excellent visibility and the rear windows open, so you can conveniently access rear implements from comfort of your seat.





Save time with Quick Connect Solutions

Switching chores shouldn't be a chore. Our Quick Connect Solutions make it easier than ever to swap out implements and attachments on your I Series Tractor. Seamlessly go from digging to mowing to trenching and get more done on your time.



John Deere Quik-Knect™ PTO Receiver

Click in PTO-driven implements (115 PTO horsepower or less) to the back of your tractor and skip the scraped knuckles and pinched fingers. See your dealer for the complete Quik-Knect system.



AutoConnect™ Drive-Over Mower Deck

Cuts grass down to size and is fast to connect: simply drive over the deck ramps, listen for two clicks as the deck and PTO attach, lock the gauge wheels, and you're ready to mow.



Load-N-Go™ System

Simplifies transporting and servicing your AutoConnect™ drive-over mower deck. Use your loader to lift the deck for easy maintenance, then stow it quickly and safely out of the way.



Quik-Park™ Loader System

Transition to and from loader work fast. An integrated parking stand and secure locking system let you attach and detach your loader quickly and safely, no tools required.



Quik-Park™ Backhoe

With the same tool-free attachment and removal as the Quik-Park loader, you can transform your tractor into a powerful digging and trenching machine. Includes stabilizer arms for balance, cushioned boom cylinders for smooth operation, and an optional thumb kit for handling rocks and logs.



iMatch™ Quick-Hitch

Provides easy hookup of Category 1 implements and attachments,⁵ so you can save time while taking the guesswork out of attaching and changing implements. Built with tubular, box-welded steel and heat-treated bushings and pins for durable, long-lasting performance.



Single Point Hydraulic Connector

Connects the front hydraulics of your I Series Tractor to your Quik-Park loader with the pull of a single lever. It's that easy.

⁵Designed to meet the ASAE Category 1 Standard S278.6 for quick-attach hitches.

Implements

Get the job done right with the rugged and reliable performance of John Deere and Frontier™ implements.

Loaders

Pallet forks, grapple, and bucket available.

1. The 120R Loader

Non-self leveling (NSL) loader lift capacity is 803 lb. (364 kg).⁶ Max lift height is 72 inches (1,828 mm). Integrated Quik-Park mounting system included. Mechanical self leveling (MSL) loader available.

2. AV20F Root Grapple

Save time picking up tree branches and other debris with this quick-connecting grapple. Features a 945 pound-force (4,203.5 N) clamping force.

3. Box Blade (3 Point)

Level out soil, rip up dirt, and backfill areas. 3-point rear blade also available.

4. Rotary Cutter

Cut heavy grass, thick brush, and weeds down to size.

5. Rotary Tiller

Heavy-duty tines dig in to prepare gardens and loosen even the most packed-down soil.

6. Post Hole Digger and Augers

Bore holes from 6 inches (15.2 cm) to 12 inches (30.5 cm) in diameter.

7. Backhoe

Provides precise control and extra torque when backfilling, with superior visibility to the trench and powerful digging force.

8. Snowblower

Makes snow removal easier and more accurate with a chute deflector and adjustable chute rotation. Rotary broom also available.

9. Land Plane

The perfect tool for leveling gravel and dirt to a fine finish.



Additional Implements

Front Blade

Clear snow and move dirt or gravel. Angle right or left to make the job easier. Snow pushes also available.

Spin Spreader

Seed a new lawn or overseed your existing lawn to re-establish growth and restore bare spots.

Rear Mount Grooming Mower

For a well-manicured lawn.

Frontier One-Row Cultivator

Keep weeds in check. Adjustable row widths make this a valuable tool for both gardeners and small farmers.

Core Aerator

Keep your lawn healthy. Penetrates below heavy thatch and compacted soil for better air, water, and nutrient circulation.

Explore all the John Deere and Frontier implements available for the I Series.

US: BuyFrontier.com

CA: BuyFrontier.ca

⁶Lift capacity values have been verified according to a testing process standard set by the American Society of Agricultural and Biological Engineers (ASABE). The lift value is measured at the point where the loader is 19.7 inches (500 mm) ahead of the pivot. The increase in 120R lift capacity was measured at 24%. Results may vary based on testing criteria and usage.

Attachments

Whether it's enhanced productivity, stability, visibility, or hours in the field, these attachments will help you get the most out of your I Series Tractor.



1. Ballast Box and Optional Extensions

Enhance loader performance in all conditions with correct ballasting with this heavy-duty box.

2. Front and Rear Work Light Kits

Enjoy increased visibility when working in low-light conditions. Lights mount to ROPS for 1M and 1R models. Brush guard required for work lights on 1E models.

3. Rear Wheel Weights

Weight for ballast to improve performance and safety.

4. Quik-Tatch™ Weights

Add some extra weight to the front of your tractor easily and securely with Quik-Tatch weights.

5. Beacon Light Kit

Increase your tractor's visibility to traffic or other vehicles. For 1M and 1R cabs only.

6. Mirror Kits

For greater visibility of what's behind you while focusing on what's ahead.

Additional Attachments

Lighting Brush Guard Kits (Two Guards)

Available for warning lights, work lights, and LED lighting options.

Large Seat Cover

Protect your seat when it's not in use for long-lasting comfort.

Front Weight Bracket

For additional stability and safety.

Power Beyond Kits

For the extra power to run backhoes and log splitters.

Tire Chains

For better traction in snow, ice, and tough conditions.

Canopy

Provides ample protection from sun and inclement weather on open station models. Add an optional ShadePro™ fan kit for extra cooling comfort on the hottest days.

Control Valves

Provide additional hydraulic outlets at the front, middle, and back of your tractor to allow for multiple functions of various implements. Third function hydraulic valves and single rear selective control valves available.

Stereo

AM/FM, Weatherband, and Bluetooth.

Tractor Cover

Protect your tractor from the elements.

Trailer Mover

Ideal for gooseneck trailers or bumper pulls when towing heavy equipment and firewood. Lifts up to 3,000 pounds (1,360.8 kg).

Your one-stop maintenance shop

When it's time to change your oil, filters, and more, Shop.Deere.com and Shop.Deere.ca have you covered.⁷ Order maintenance essentials from your dealer online, pickup in-store, or ship to your home.



Filter Pak

The key to easy, do-it-yourself filter changes on your tractor.



Plus-50™ II Oil

The only engine oil you need on the farm, in the field, and on the highway. Compatible with gas and diesel engines.



John Deere StrongBox™ Batteries

Reliable, high-performance batteries to keep you running. Economy options available.

⁷Coverage varies across Canada. Consult your John Deere dealer for details.



Keep your equipment running

The free Equipment Mobile app makes it easy to setup, operate, and maintain your equipment.

Prepare for work, access key information from your Operator's Manual, find replacement parts quickly, and track routine maintenance all from the palm of your hand.

Use the John Deere Smart Connector to link your I Series Tractor to the Equipment Mobile app via Bluetooth for insights on engine hours, fuel level, maintenance alerts, and more. Comes standard on 1M 25 and 1R 25 models, and available as a dealer-installed option on 1E 23 models.

Financing to fit your budget

Put the strength of John Deere Financial behind your purchase and get the equipment you need to maintain your property or grow your business. We know the landscape you work in and are committed to helping you get what you need with flexible financing options that fit your budget. You can bank on it.



Specifications

1 SERIES SUB-COMPACT UTILITY TRACTORS	1E 23	1M 25	1R 25
ENGINE			
Type	Yanmar 3TNM74F-NCJT	Yanmar 3TNV80F-NCJT	Yanmar 3TNV80F-NCJT
Engine Horespower - Gross	21.5 hp (16 kW) ^a	23.2 hp (17.3 kW) ^a	23.2 hp (17.3 kW) ^a
PTO Horsepower - Hydrostatic Transmission	16.2 hp (12.1 kW)	17.8 hp (13.3 kW)	17.8 hp (13.3 kW)
Rated Engine Speed	3,200 rpm	3,200 rpm	3,200 rpm
Displacement	60 cu in. (993 cc)	77 cu in. (1,267 cc)	77 cu in. (1,267 cc)
Battery Power	500 CCA	500 CCA	500 CCA
FUEL SYSTEM			
Fuel Type	Diesel	Diesel	Diesel
Fuel Tank Capacity	5.57 U.S. gal. (21.1 L)	5.57 U.S. gal. (21.1 L)	5.31 U.S. gal. (20.1 L)
HYDRAULICS			
Steering	3.5 gpm (13.2 L/min)	3.5 gpm (13.2 L/min)	3.5 gpm (13.2 L/min)
Implement	3.5 gpm (13.2 L/min)	3.5 gpm (13.2 L/min)	3.5 gpm (13.2 L/min)
Total Capacity	7 gpm (26.5 L/min)	7 gpm (26.5 L/min)	7 gpm (26.5 L/min)
Lift Capacity, 24-in. Behind Link Arms	758 lb. (344 kg)	758 lb. (344 kg)	915 lb. (415 kg)
Pump Type	Gear	Gear	Gear
TRANSMISSION			
Standard Transmission; Forward/Reverse	Hydrostatic - two range	Hydrostatic - two range	Hydrostatic - two range
Forward/Reverse Control	Twin Touch pedals	Twin Touch pedals	Twin Touch pedals
Final Drive	Spur gear	Spur gear	Spur gear
Brakes	Wet disc, left-hand pedal	Wet disc, left-hand pedal	Wet disc, left-hand pedal
Travel Speed at Rated Engine RPM (Forward/Reverse)	0-9.1 mph (0-14.6 km/h)	0-9.1 mph (0-14.6 km/h)	0-12.3 mph (0-19.8 km/h)
POWER TAKE-OFF (PTO)			
PTO Type	Independent	Independent	Independent
Standard	Rear: 540 rpm; Mid: 2,100 rpm	Rear: 540 rpm; Mid: 2,100 rpm	Rear: 540 rpm; Mid: 2,100 rpm
3-POINT HITCH			
Type	Limited Category 1	Limited Category 1	Limited Category 1
iMatch Quick-Hitch Compatibility	Yes	Yes	Yes
Rockshaft Control Type	Select control	Position control	Position control
DIMENSIONS			
Wheelbase	57.1 in. (1,450 mm)	57.1 in. (1,450 mm)	63 in. (1,600 mm)
Outside Width Rear Tires	R3: 47.22 in. (1,200 mm); R4: 47.32 in. (1,202 mm)	R3 47.22 in. (1,200 mm); R4 47.32 in. (1,202 mm)	R3: 47.22 in. (1,200 mm); R4: 48.03 in. (1,220 mm)
Approx. Shipping Weight (Open Station; Cab)	Open station: 1,475 lb. (669 kg); Cab: not applicable	Open station: 1,602 lb. (727 kg); Cab: 2,019 lb. (916 kg)	Open station: 1,797 lb. (815 kg); Cab: 2,242 lb. (1,017 kg)
TIRES			
Front	R3 Turf: 18x8.50-10; R3 Hybrid: 18x8.50-10; R4: 18x8.5-10	R3 Turf: 18x8.50-10; R3 Hybrid: 18x8.50-10; R4: 18x8.5-10	R3 Turf: 23x8.50-12; R3 Hybrid: 220/55-R12; R4 Industrial: 23x8.50-12
Rear	R3 Turf: 26x12-12; R3 Hybrid: 26x12-12; R4: 26x12-12	R3 Turf: 26x12-12; R3 Hybrid: 26x12-12; R4: 26x12-12	R3 Turf: 12-16.5; R3 Hybrid: 280/70-R16; R4 Industrial: 12-16.5
OPERATOR'S STATION			
Rollover Protective Structure (ROPS)	Foldable	Foldable	Foldable
Optional Factory-Installed HVAC Cab	No	Yes	Yes
Deluxe Lighting Package	No	HVAC cab only	Yes
Deluxe Suspension Seat / Tilt Steering	Yes / No	Yes / Yes	Yes / Yes
Toolbox	Yes	Yes	Yes
12V Outlet and USB-C Charging Port	No	Yes	Yes
Cruise Control	No	Yes	Yes

^aThe engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.



6-year / 2,000-hour Powertrain Warranty⁹

All 1 Series Sub-Compact Tractors are backed by a reliable, six-year Powertrain Warranty.⁹ It's standard, comes at no cost, and covers both residential AND commercial use. It's just one more reason why Nothing Runs Like a Deere™.

US: [JohnDeere.com/1Series](https://www.JohnDeere.com/1Series)
CA: [JohnDeere.ca/1Series](https://www.JohnDeere.ca/1Series)
Visit your John Deere dealer.

This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options, and accessories NOT AVAILABLE in all countries or regions, and in some countries, products and accessories may require modifications or additions to ensure compliance with the local regulations of those countries. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specifications, design, and price of products described in the literature without notice. John Deere, the leaping deer symbol, and John Deere green and yellow trade dress are the trademarks of Deere & Company. Copyright © 2026 Deere & Company. All Rights Reserved.

⁹All Compact Utility Tractors purchased new from an authorized John Deere dealer come standard with a six-year/2,000-hour (whichever comes first) Powertrain Warranty. See the Limited Warranty for new John Deere Turf & Utility Equipment at an authorized John Deere dealer or at [JohnDeere.com/TUWarranty](https://www.JohnDeere.com/TUWarranty) or [JohnDeere.ca/TUWarranty](https://www.JohnDeere.ca/TUWarranty) for details.



JOHN DEERE