

GATOR™ GX SERIES

ELECTRIC UTILITY VEHICLES



JOHN DEERE



RUN WITH US

GATOR™ GX ELECTRIC



Your Punch List Sidekick.

Go electric and knock out all those to-dos — without all of the noise, fuss, or hassle of fuel. The GX delivers reliable performance that's perfect for light-duty jobs around your property. Haul tools, gear, or garden loads in a versatile cargo box, and stash essentials in storage spaces all over the vehicle. It's narrow enough to glide through tight spaces, but tough enough to handle hard work. Plug it into any standard 120V grounded outlet with its convenient on-board charger, and take charge of your day.



Cargo box can hold a variety of tools, equipment, and materials. Available as a manual dump lift.



Compact frame delivers easy maneuverability—ideal for tight spaces and narrow paths.



Ample storage on the dashboard, under the hood, and below the seats keeps all your essentials secure.

GATOR™ GX ELECTRIC CREW

Carry the Crew. And Everything Else You Need, Too.

The GX Crew adds two extra rear-facing seats and expanded storage, making it the perfect utility vehicle for moving your crew, your tools, and your day forward. Same ultra-quiet, all-electric performance as the GX. Same charge-from-anywhere convenience. Bring the comfort. Leave the gas behind.



Attachment upgrades, including side mirrors, lights, JDLink™ connectivity,¹ and more, let you customize your ride and enhance functionality.²



Extended canopy and optional split windshield provide protection from sun and rain.



Roomy design features four seats and the ability to fold down rear-facing seats for additional cargo space.

¹You can turn on JDLink connected service in your John Deere Operations Center account for free. JDLink requires a cellular connection to transfer information from machine to Operations Center. Consult your John Deere Dealer for coverage availability.

²Actual performance may vary based on equipment and environmental conditions, and attachment usage. Features, specs, and attachments subject to change without notice. Before operating or riding, always refer to the safety and operating information on the vehicle, and in the Operator's Manual.

This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options, and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification, design, and price of the products described in this literature without notice. John Deere green and yellow color scheme, the leaping deer symbol, and JOHN DEERE are trademarks of Deere & Company. Images of equipment models may be digitally or AI generated, are for illustration purposes only, and are subject to change. Equipment models shown are typically base models and may not reflect the actual product, features, options, or attachments. Equipment availability may be limited. See your John Deere dealer for additional information. Copyright © 2025 Deere & Company. All Rights Reserved.

DIMENSIONS / CAPACITIES

Wheelbase	77.4 in. (1965 mm)	77.4 in. (1965 mm)
Weight	1171 lb (531 kg)	1345 lb (610 kg)
Length	122.8 in. (3120 mm)	134.45 in. (3415 mm)
Width	53.5 in. (1360 mm)	53.5 in. (1360 mm)
Height	74.0 in. (1880 mm)	76.77 in. (1950 mm)
Tread centers	41.3 in. (1050 mm)	41.3 in. (1050 mm)
Ground clearance	5.9 in. (150 mm)	5.9 in. (151 mm)
Cargo box dimensions	41.1 x 45.9 x 11.8 in. (1045 x 1165 x 300 mm)	-
Cargo box capacity (weight)	800 lb. (363 kg)	-
Payload capacity	1200 lb. (544 kg)	850 lb (386 kg)
Towing capacity	1500 lb. (680 kg)	-
Hitch	Standard receiver: 2 in. (5.1 cm)	-
Cargo box volume	13 cu ft. (367 L)	-

POWER SYSTEM

Battery Options	Lithium-Ion: 51.2 V (5.376 kilowatt-hour)	Lithium-Ion: 51.2 V (5.376 kilowatt-hour)
-----------------	---	---

DRIVETRAIN

Final drive	Fully enclosed; oil bath	Fully enclosed; oil bath
Speed	0-19.5 mph (0-31.4 km/h)	0-19.5 mph (0-31.4 km/h)

SUSPENSION

Front	Fully independent single A-arm, coil-over strut	Fully independent single A-arm, coil-over strut
Rear	Semi-independent coil-over shock and sway bar	Semi-independent coil-over shock and sway bar

BRAKES

Type	4-wheel self-adjusting drum	4-wheel self-adjusting drum
Park brake	Foot operated	Foot operated

FEATURES

Color	Green and yellow, Grey metallic	Green and yellow, Grey metallic
Tires / Wheels	23x10.5-12 4PR knobby	23x10.5-12 4PR knobby
Power steering	No	No
Battery / Alternator / Power port	Two USB Type-A power ports	Two USB Type-A power ports
Instrumentation	Battery-level indicator, hour-meter	Battery-level indicator, hour-meter
Storage	Two cup holders, covered under-hood bin, three dash compartments, center-seat, under-seat trays	Two cup holders, covered under-hood bin, three dash compartments, center-seat, under-seat trays, between-seat cargo storage
Seating	Bucket seats	Front and rear bucket seats

8965950 (25-11)

JohnDeere.com/Gator
JohnDeere.ca/Gator

